

**Orlando EMA
PRESUMED ALIVE AIDS
Totals by Gender
2000-2004**

| AIDS by Gender | | | | | |
|-----------------------|-------|--------|---------|-----------|-------|
| Year | Male | Male % | Females | Females % | Total |
| Total 2000 | 2,029 | 80% | 508 | 20% | 2,537 |
| Total 2001 | 2,144 | 80% | 530 | 20% | 2,674 |
| Total 2002 | 2,487 | 79% | 659 | 21% | 3,146 |
| Total 2003 | 2,631 | 78% | 745 | 22% | 3,376 |
| Total 2004 | 2,769 | 78% | 796 | 22% | 3,565 |

| HIV (Not AIDS) by Gender | | | | | |
|---------------------------------|-------|--------|---------|-----------|-------|
| Year | Male | Male % | Females | Females % | Total |
| Total 2000 | 1,051 | 64% | 581 | 36% | 1,632 |
| Total 2001 | 1,299 | 65% | 693 | 35% | 1,992 |
| Total 2002 | 1,634 | 65% | 874 | 35% | 2,508 |
| Total 2003 | 1,844 | 66% | 960 | 34% | 2,804 |
| Total 2004 | 1,915 | 66% | 985 | 34% | 2,900 |

| Total HIV/AIDS by Gender | | | | | |
|---------------------------------|-------|--------|---------|-----------|-------|
| Year | Male | Male % | Females | Females % | Total |
| Total 2000 | 3,080 | 74% | 1,089 | 26% | 4,169 |
| Total 2001 | 3,443 | 74% | 1,223 | 26% | 4,666 |
| Total 2002 | 4,121 | 73% | 1,533 | 27% | 5,654 |
| Total 2003 | 4,959 | 72% | 1,890 | 28% | 6,849 |
| Total 2004 | 4,684 | 73% | 1,781 | 28% | 6,465 |

Note: HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases with complete accuracy for combined totals, since categories are not mutually exclusive.

Note: Confidentiality requirements to suppress cells <3 may cause totals to vary.

Sources: Florida Department of Health, Bureau of HIV/AIDS

Orlando EMA
Presumed Alive HIV/AIDS
Totals by Race/Ethnicity
2000-2004

| AIDS by Race | | | | | | | | | | | | | |
|--------------|-------|-----|-------|-----|----------|-----|-------|----|--------|----|---------|----|-------|
| Year | White | % | Black | % | Hispanic | % | Asian | % | Indian | % | Unknown | % | Total |
| Total 2000 | 1,179 | 46% | 815 | 32% | 530 | 21% | 9 | 0% | 4 | 0% | 0 | 0% | 2,537 |
| Total 2001 | 1,236 | 46% | 873 | 33% | 553 | 21% | 6 | 0% | 4 | 0% | 0 | 0% | 2,672 |
| Total 2002 | 1,402 | 46% | 1,078 | 35% | 554 | 18% | 6 | 0% | 4 | 0% | 0 | 0% | 3,044 |
| Total 2003 | 1,486 | 44% | 1,172 | 35% | 705 | 21% | 6 | 0% | 3 | 0% | 0 | 0% | 3,372 |
| Total 2004 | 1,551 | 44% | 1,260 | 35% | 736 | 21% | 12 | 0% | 4 | 0% | 2 | 0% | 3,565 |

| HIV (Not AIDS) by Race | | | | | | | | | | | | | |
|------------------------|-------|-----|-------|-----|----------|-----|-------|----|--------|----|---------|----|-------|
| Year | White | % | Black | % | Hispanic | % | Asian | % | Indian | % | Unknown | % | Total |
| Total 2000 | 544 | 33% | 821 | 50% | 259 | 16% | 5 | 0% | 3 | 0% | 0 | 0% | 1,632 |
| Total 2001 | 670 | 34% | 973 | 49% | 338 | 17% | 6 | 0% | * | 0% | 0 | 0% | 1,987 |
| Total 2002 | 837 | 33% | 1,200 | 48% | 452 | 18% | 10 | 0% | * | 0% | 5 | 0% | 2,504 |
| Total 2003 | 936 | 34% | 1,313 | 47% | 528 | 19% | 10 | 0% | 0 | 0% | 4 | 0% | 2,791 |
| Total 2004 | 979 | 34% | 1,354 | 47% | 539 | 19% | 17 | 1% | 4 | 0% | 7 | 0% | 2,900 |

| Total HIV/AIDS by Race | | | | | | | | | | | | | |
|------------------------|-------|-----|-------|-----|----------|-----|-------|----|--------|----|---------|----|-------|
| Year | White | % | Black | % | Hispanic | % | Asian | % | Indian | % | Unknown | % | Total |
| Total 2000 | 1,723 | 41% | 1,636 | 39% | 789 | 19% | 14 | 0% | 7 | 0% | 0 | 0% | 4,169 |
| Total 2001 | 1,906 | 41% | 1,846 | 40% | 891 | 19% | 12 | 0% | 4 | 0% | 4 | 0% | 4,663 |
| Total 2002 | 2,239 | 40% | 2,278 | 41% | 1,006 | 18% | 17 | 0% | 4 | 0% | 5 | 0% | 5,549 |
| Total 2003 | 2,290 | 40% | 2,337 | 40% | 1,122 | 19% | 17 | 0% | 4 | 0% | 6 | 0% | 5,776 |
| Total 2004 | 2,530 | 39% | 2,614 | 40% | 1,275 | 20% | 29 | 0% | 8 | 0% | 9 | 0% | 6,465 |

Note: HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases with complete accuracy for combined totals, since categories are not mutually exclusive.

Note: Confidentiality requirements to suppress cells <3 may cause totals to vary.

Source: Florida Department of Health, Bureau of HIV/AIDS

Orlando EMA
Presumed Alive HIV/AIDS
Totals by Age
2000-2004

| AIDS by Age | | | | | | | | | | | | | | | |
|-------------|------|----|-------|----|-------|-----|-------|-----|-------|-----|-------|-----|-----|----|-------|
| Year | 0-12 | % | 13-19 | % | 20-29 | % | 30-39 | % | 40-49 | % | 50-59 | % | 60+ | % | Total |
| Total 2000 | 20 | 1% | 17 | 1% | 79 | 3% | 841 | 33% | 1,057 | 42% | 408 | 16% | 114 | 4% | 2,536 |
| Total 2001 | 18 | 1% | 11 | 0% | 333 | 13% | 1,281 | 49% | 704 | 27% | 198 | 8% | 55 | 2% | 2,600 |
| Total 2002 | 18 | 1% | 14 | 0% | 473 | 15% | 1,467 | 46% | 862 | 27% | 252 | 8% | 72 | 2% | 3,158 |
| Total 2003 | 31 | 1% | 16 | 0% | 494 | 15% | 1,526 | 45% | 935 | 28% | 288 | 9% | 75 | 2% | 3,365 |
| Total 2004 | 13 | 0% | 24 | 1% | 161 | 5% | 870 | 24% | 1,623 | 46% | 685 | 19% | 189 | 5% | 3,565 |

| HIV (Not AIDS) by Age | | | | | | | | | | | | | | | |
|-----------------------|------|----|-------|----|-------|-----|-------|-----|-------|-----|-------|-----|-----|----|-------|
| Year | 0-12 | % | 13-19 | % | 20-29 | % | 30-39 | % | 40-49 | % | 50-59 | % | 60+ | % | Total |
| Total 2000 | 15 | 1% | 15 | 1% | 232 | 14% | 694 | 43% | 464 | 28% | 170 | 10% | 40 | 2% | 1,630 |
| Total 2001 | 9 | 0% | 77 | 4% | 553 | 28% | 835 | 42% | 369 | 18% | 129 | 6% | 25 | 1% | 1,997 |
| Total 2002 | 11 | 0% | 98 | 4% | 697 | 28% | 1,028 | 41% | 473 | 19% | 162 | 6% | 50 | 2% | 2,519 |
| Total 2003 | 25 | 1% | 113 | 4% | 785 | 28% | 1,111 | 40% | 536 | 19% | 176 | 6% | 53 | 2% | 2,799 |
| Total 2004 | 24 | 1% | 28 | 1% | 436 | 15% | 1,026 | 35% | 936 | 32% | 343 | 12% | 107 | 4% | 2,900 |

| HIV/AIDS Totals by Age | | | | | | | | | | | | | | | |
|------------------------|------|----|-------|----|-------|-----|-------|-----|-------|-----|-------|-----|-----|----|-------|
| Year | 0-12 | % | 13-19 | % | 20-29 | % | 30-39 | % | 40-49 | % | 50-59 | % | 60+ | % | Total |
| Total 2000 | 35 | 1% | 32 | 1% | 311 | 7% | 1,535 | 37% | 1,521 | 37% | 578 | 14% | 154 | 4% | 4,166 |
| Total 2001 | 27 | 1% | 88 | 2% | 886 | 19% | 2,116 | 46% | 1,073 | 23% | 327 | 7% | 80 | 2% | 4,597 |
| Total 2002 | 29 | 1% | 112 | 2% | 1,170 | 21% | 2,495 | 44% | 1,335 | 24% | 414 | 7% | 122 | 2% | 5,677 |
| Total 2003 | 74 | 1% | 145 | 2% | 1,419 | 21% | 2,921 | 43% | 1,635 | 24% | 513 | 7% | 142 | 2% | 6,849 |
| Total 2004 | 37 | 1% | 52 | 1% | 597 | 9% | 1,896 | 29% | 2,559 | 40% | 1,028 | 16% | 296 | 5% | 6,465 |

Note: HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases with complete accuracy for combined totals, since categories are not mutually exclusive.

Note: Confidentiality requirements to suppress cells <3 may cause totals to vary.

Source: Florida Department of Health, Bureau of HIV/AIDS

ORLANDO EMA
Presumed Alive HIV/AIDS
Totals by Transmission Mode
2000-2004

AIDS by Transmission Mode

| Year | MSM | % | IDU | % | MSM/IDU | % | HETERO | % | Other | % | NIR | % | Total |
|------------|-------|-----|-----|-----|---------|----|--------|-----|-------|----|-----|-----|-------|
| Total 2000 | 1,286 | 51% | 429 | 17% | 115 | 5% | 329 | 13% | 68 | 3% | 309 | 12% | 2,536 |
| Total 2001 | 1,427 | 53% | 481 | 18% | 146 | 5% | 372 | 14% | 20 | 1% | 228 | 9% | 2,674 |
| Total 2002 | 1,639 | 52% | 554 | 18% | 155 | 5% | 456 | 14% | 20 | 1% | 322 | 10% | 3,146 |
| Total 2003 | 1,757 | 53% | 569 | 17% | 153 | 5% | 537 | 16% | 3 | 0% | 298 | 9% | 3,317 |
| Total 2004 | 2,042 | 74% | 649 | 18% | 145 | 4% | 664 | 19% | 53 | 1% | 0 | 0% | 3,553 |

HIV (Not AIDS) by Transmission Mode

| Year | MSM | % | IDU | % | MSM/IDU | % | HETERO | % | Other | % | NIR | % | Total |
|------------|-------|-----|-----|-----|---------|----|--------|-----|-------|----|-----|-----|-------|
| Total 2000 | 584 | 36% | 207 | 13% | 40 | 2% | 307 | 19% | 21 | 1% | 472 | 29% | 1,631 |
| Total 2001 | 801 | 40% | 279 | 14% | 50 | 3% | 472 | 24% | 3 | 0% | 387 | 19% | 1,992 |
| Total 2002 | 981 | 39% | 350 | 14% | 59 | 2% | 567 | 23% | 3 | 0% | 548 | 22% | 2,508 |
| Total 2003 | 1,150 | 41% | 379 | 14% | 68 | 2% | 672 | 24% | 3 | 0% | 500 | 18% | 2,772 |
| Total 2004 | 1,142 | 44% | 467 | 18% | 76 | 3% | 875 | 34% | 16 | 1% | 1 | 0% | 2,577 |

HIV/AIDS by Transmission Mode

| Year | MSM | % | IDU | % | MSM/IDU | % | HETERO | % | Other | % | NIR | % | Total |
|------------|-------|-----|-------|-----|---------|----|--------|-----|-------|----|-----|-----|-------|
| Total 2000 | 1,870 | 46% | 636 | 16% | 155 | 4% | 636 | 16% | 9 | 0% | 781 | 19% | 4,087 |
| Total 2001 | 2,228 | 48% | 760 | 16% | 196 | 4% | 844 | 18% | 23 | 0% | 615 | 13% | 4,666 |
| Total 2002 | 2,620 | 46% | 904 | 16% | 214 | 4% | 1,023 | 18% | 23 | 0% | 870 | 15% | 5,654 |
| Total 2003 | 3,205 | 47% | 1,045 | 15% | 242 | 4% | 1,336 | 20% | 28 | 0% | 917 | 14% | 6,773 |
| Total 2004 | 3,484 | 54% | 1,116 | 17% | 221 | 3% | 1,539 | 24% | 69 | 1% | 1 | 0% | 6,430 |

Note: HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases with complete accuracy for combined totals, since categories are not mutually exclusive.

Note: Confidentiality requirements to suppress cells <3 may cause totals to vary.

Sources: Florida Department of Health, Bureau of HIV/AIDS

Orlando EMA
HIV/AIDS RELATED DEATHS BY COUNTY
2000 - 2004

| County/ Year | 2000 | 2001 | 2002 | 2003 | 2004 | 5-yr Totals | 2003/200 4 |
|-----------------|-------|-------|-------|-------|------|----------------|---------------|
| Lake | 15 | 12 | 14 | 14 | 7 | 62 | -50% |
| Orange | 109 | 106 | 90 | 148 | 138 | 591 | -7% |
| Osceola | 6 | 10 | 8 | 14 | 10 | 48 | -29% |
| Seminole | 17 | 14 | 17 | 16 | 10 | 74 | -38% |
| Total EMA | 147 | 142 | 129 | 192 | 165 | 775 | -14% |
| Florida | 1,809 | 1,658 | 1,714 | 1,742 | | | |

Note: Figures are from frozen data sets as of March 31 of each year and are not the final number of reported deaths for that year.

Note: Confidentiality requirements to suppress cells <3 may cause totals to vary.

Sources: Florida State Bureau of Vital Statistics

Florida Dept of Health, Bureau of HIV/AIDS